

1 Drukbegeenzingskleppen										
Quickcode	Omschrijving	Bereik	Druk	Flow	Symbol	Datablad	Behuizing	Opmerking	SQC	Std?
CP000277	CPLN-005-DPNA-PF-005-N050	10-40 bar	460 bar	1,5 lpm		CP000015	n.v.t.	VP000005 Direct werkend	CP277	✓
CP000030	CPLN-005-DPNA-PF-005-N100	25-100 bar							CP030	✓
CP000029	CPLN-005-DPNA-PF-005-N200	100-200 bar							CP029	✓
CP000002	CPLN-005-DPNA-PF-005-N350	120-350 bar							CP002	✓
CP000015	CPLN-005-DPNA-PF-005-N460	150-460 bar							CP015	✓
CP000056	CPLN-010-DHNA-HN-S08-N100	35-110 bar	350 bar	3 lpm		CP000006	Huis type LK	SAE-08-2N Direct werkend	CP056	✓
CP000055	CPLN-010-DHNA-HN-S08-N200	90-210 bar							CP055	✓
CP000006	CPLN-010-DHNA-HN-S08-N350	140-350 bar							CP006	✓
CP000027	CPLN-020-DPNA-HN-S08-N050	10-70 bar	420 bar	20 lpm		CP000168	Huis type LK	SAE-08-2N Direct werkend	CP027	✓
CP000028	CPLN-020-DPNA-HN-S08-N100	35-140 bar							CP028	✓
CP000007	CPLN-020-DPNA-HN-S08-N200	105-210 bar							CP007	✓
CP000025	CPLN-020-DPNA-HN-S08-N350	175-350 bar							CP025	✓
CP000168	CPLN-020-DPNA-HN-S08-N420	200-420 bar							CP168	✗
CP000173	CPLN-020-DPNA-VN-S08-N350	20-350 bar	350 bar			CP000173	Handknop	CP173	✓	
CP000032	CPLN-030-DPNA-HN-008-N050	10-50 bar	420 bar	30 lpm		CP000124	LK000001 LK000002 LK000108 LK000109	VP000008 Direct werkend	CP032	✓
CP000020	CPLN-030-DPNA-HN-008-N100	30-100 bar							CP020	✓
CP000019	CPLN-030-DPNA-HN-008-N200	50-210 bar							CP019	✓
CP000001	CPLN-030-DPNA-HN-008-N350	100-350 bar							CP001	✓
CP000124	CPLN-030-DPNA-HN-008-N420	250-420 bar							CP124	✗
CP000085	CPLN-030-DHNA-HN-008-N050	10-50 bar	420 bar	30 lpm		CP000126	LK000001 LK000002 LK000108 LK000109	VP000008 Direct werkend Geharde zitting	CP085	✗
CP000084	CPLN-030-DHNA-HN-008-N100	30-100 bar							CP084	✓
CP000083	CPLN-030-DHNA-HN-008-N200	50-210 bar							CP083	✓
CP000082	CPLN-030-DHNA-HN-008-N350	100-350 bar							CP082	✓
CP000126	CPLN-030-DHNA-HN-008-N420	250-420 bar							CP126	✓
KP000001	KPLN-030-DPNA-HN-G38-N100	30-100 bar	350 bar	30 lpm		KP000006	n.v.t.	G 3/8"	KP001	✓
KP000002	KPLN-030-DPNA-HN-G38-N200	50-210 bar							KP002	✓
KP000003	KPLN-030-DPNA-HN-G38-N350	100-350 bar							KP003	✗
KP000004	KPLN-030-DPNA-HN-G12-N100	30-100 bar							KP004	✗
KP000005	KPLN-030-DPNA-HN-G12-N200	50-210 bar							KP005	✓
KP000006	KPLN-030-DPNA-HN-G12-N350	100-350 bar							KP006	✓
CP000099	CPLN-080-DPNA-HN-086-N050	5-50 bar	420 bar	80 lpm		CP000180	LK000111	VP000086 Direct werkend	CP099	✓
CP000077	CPLN-080-DPNA-HN-086-N100	25-100 bar							CP077	✓
CP000076	CPLN-080-DPNA-HN-086-N200	60-210 bar							CP076	✓
CP000026	CPLN-080-DPNA-HN-086-N350	100-350 bar							CP026	✓
CP000180	CPLN-080-DPNA-HN-086-N420	150-420 bar							CP180	✗
KP000099	KPLN-080-DPNA-HN-G12-N050	5-50 bar	350 bar	80 lpm		KP000018	n.v.t.	G 1/2"	KP099	✗
KP000091	KPLN-080-DPNA-HN-G12-N100	25-100 bar							KP091	✗
KP000090	KPLN-080-DPNA-HN-G12-N200	60-210 bar							KP090	✓
KP000016	KPLN-080-DPNA-HN-G12-N350	100-350 bar							KP016	✓
KP000098	KPLN-080-DPNA-HN-G34-N050	5-50 bar						KP098	✗	
KP000069	KPLN-080-DPNA-HN-G34-N100	25-100 bar						KP069	✓	
KP000070	KPLN-080-DPNA-HN-G34-N200	60-210 bar						KP070	✓	
KP000018	KPLN-080-DPNA-HN-G34-N350	100-350 bar						KP018	✗	

1 Drukbegeenzingskleppen (vervolg)										
Quickcode	Omschrijving	Bereik	Druk	Flow	Symbol	Datablad	Behuizing	Opmerking	SQC	Std?
CP000081	CPLT-030-DPNA-HN-008-N050	10-50 bar	420 bar	30 lpm		CP000125	KP000158 KP000132 LK000001 LK000002 LK000108 LK000109	VP000008 Direct werkend	CP081	✗
CP000080	CPLT-030-DPNA-HN-008-N100	30-100 bar							CP080	✓
CP000079	CPLT-030-DPNA-HN-008-N200	50-210 bar							CP079	✓
CP000078	CPLT-030-DPNA-HN-008-N350	100-350 bar							CP078	✓
CP000125	CPLT-030-DPNA-HN-008-N420	250-420 bar							CP125	✗
CP000098	CPLT-030-DHNA-HN-008-N050	10-50 bar	420 bar	30 lpm		CP000127	KP000158 KP000132 LK000001 LK000002 LK000108 LK000109	VP000008 Direct werkend Geharde zitting	CP098	✗
CP000097	CPLT-030-DHNA-HN-008-N100	30-100 bar							CP097	✗
CP000096	CPLT-030-DHNA-HN-008-N200	50-210 bar							CP096	✓
CP000095	CPLT-030-DHNA-HN-008-N350	100-350 bar							CP095	✓
CP000127	CPLT-030-DHNA-HN-008-N420	250-420 bar							CP127	✓
CP000144	CPLT-080-DPNA-HN-086-N050	5-50 bar	420 bar	80 lpm		CP000181	LK000111	VP000086 Direct werkend	CP144	✗
CP000143	CPLT-080-DPNA-HN-086-N100	25-100 bar							CP143	✗
CP000142	CPLT-080-DPNA-HN-086-N200	60-210 bar							CP142	✗
CP000130	CPLT-080-DPNA-HN-086-N350	100-350 bar							CP130	✓
CP000181	CPLT-080-DPNA-HN-086-N420	150-420 bar							CP181	✗
CP000223	CPLN-040-DHGD-HN-080-N100	30-100 bar	350 bar	40 lpm		CP000036	n.v.t.	VP000080 Direct werkend differentiaal	CP233	✗
CP000088	CPLN-040-DHGD-HN-080-N200	50-210 bar							CP088	✗
CP000036	CPLN-040-DHGD-HN-080-N350	100-350 bar							CP036	✗
CP000120	CPLN-090-DHGA-HN-249-N070	10-70 bar	380 bar	90 lpm		CP000105	n.v.t.	VP000249 Direct werkend differentiaal	CP120	✗
CP000102	CPLN-090-DHGA-HN-249-N120	70-120 bar							CP102	✗
CP000103	CPLN-090-DHGA-HN-249-N200	120-200 bar							CP103	✗
CP000104	CPLN-090-DHGA-HN-249-N270	200-270 bar							CP104	✗
CP000101	CPLN-090-DHGA-HN-249-N320	270-320 bar							CP101	✗
CP000105	CPLN-090-DHGA-HN-249-N380	320-380 bar							CP105	✗
CP000122	CPAN-090-DHGA-HN-249-N070	10-70 bar	380 bar	90 lpm		CP000114	n.v.t.	Direct werkend differentiaal	CP122	✗
CP000111	CPAN-090-DHGA-HN-249-N120	70-120 bar							CP111	✗
CP000112	CPAN-090-DHGA-HN-249-N200	120-200 bar							CP112	✗
CP000109	CPAN-090-DHGA-HN-249-N270	200-270 bar							CP109	✗
CP000113	CPAN-090-DHGA-HN-249-N320	270-320 bar							CP113	✗
CP000114	CPAN-090-DHGA-HN-249-N380	320-380 bar							CP114	✗
CP000021	CPLN-150-DHGD-HN-070-N100	30-100 bar	350 bar	150 lpm		CP000022	n.v.t.	VP000070 Direct werkend differentiaal	CP021	✗
CP000018	CPLN-150-DHGD-HN-070-N200	70-210 bar							CP018	✗
CP000022	CPLN-150-DHGD-HN-070-N350	130-350 bar							CP022	✓
KP000058	KPLN-150-DHGD-HN-G12-N200	70-210 bar	350 bar	150 lpm		KP000028	n.v.t.	G 1/2" G 3/4"	KP058	✗
KP000020	KPLN-150-DHGD-HN-G12-N350	130-350 bar							KP020	✓
KP000057	KPLN-150-DHGD-HN-G34-N200	70-210 bar							KP057	✗
KP000028	KPLN-150-DHGD-HN-G34-N350	130-350 bar							KP028	✓
CP000121	CPLN-160-DHGA-HN-250-N090	50-90 bar	400 bar	160 lpm		CP000108	LK000307	VP000250 Direct werkend differentiaal	CP121	✗
CP000106	CPLN-160-DHGA-HN-250-N140	90-140 bar							CP106	✓
CP000100	CPLN-160-DHGA-HN-250-N270	140-270 bar							CP100	✓
CP000107	CPLN-160-DHGA-HN-250-N350	270-350 bar							CP107	✓
CP000108	CPLN-160-DHGA-HN-250-N400	350-400 bar							CP108	✓

1 Drukbegegrenzingskleppen (vervolg)											
Quickcode	Omschrijving	Bereik	Druk	Flow	Symbol	Datablad	Behuizing	Opmerking	SQC	Std?	
CP000123	CPAN-160-DHGA-HN-250-N090	50-90 bar	400 bar	160 lpm		CP000117	n.v.t.	Direct werkend differentiaal	CP123	✗	
CP000115	CPAN-160-DHGA-HN-250-N140	90-140 bar							CP115	✗	
CP000110	CPAN-160-DHGA-HN-250-N270	140-270 bar							CP110	✗	
CP000116	CPAN-160-DHGA-HN-250-N350	270-350 bar							CP116	✗	
CP000117	CPAN-160-DHGA-HN-250-N400	350-400 bar							CP117	✗	
CP000224	CPLN-250-DHGD-HN-154-N100	20-100 bar	350 bar	250 lpm		CP000046	n.v.t.	VP000154	CP224	✗	
CP000119	CPLN-250-DHGD-HN-154-N200	50-200 bar						Direct werkend differentiaal	CP119	✗	
CP000046	CPLN-250-DHGD-HN-154-N350	120-350 bar						CP046	✗		
KP000103	KPLN-250-DHGD-HN-G10-N200	10-200 bar	350 bar	250 lpm		KP000068	n.v.t.	G 1"	KP103	✗	
KP000068	KPLN-250-DHGD-HN-G10-N350	120-350 bar						KP068	✓		
CP000059	CPLN-120-PSNA-HN-S10-N100	35-120 bar	350 bar	120 lpm		CP000009	LK000018 LK000114	SAE-10-2N	CP059	✓	
CP000060	CPLN-120-PSNA-HN-S10-N200	70-210 bar						Voorgestuurd	CP060	✓	
CP000009	CPLN-120-PSNA-HN-S10-N350	140-350 bar						CP009	✓		
CP000066	CPLN-120-PSNA-VN-S10-N100	35-120 bar						SAE-10-2N	CP066	✗	
CP000065	CPLN-120-PSNA-VN-S10-N200	70-210 bar						Voorgestuurd	CP065	✓	
CP000064	CPLN-120-PSNA-VN-S10-N350	140-350 bar						Handknop	CP064	✗	
CP000178	CPLN-300-PSNA-HN-S16-N100	35-120 bar	350 bar	300 lpm		CP000188	LK000018 LK000356	SAE-16-2N	CP178	✗	
CP000177	CPLN-300-PSNA-HN-S16-N200	70-210 bar						Voorgestuurd	CP177	✓	
CP000188	CPLN-300-PSNA-HN-S16-N350	140-350 bar						CP188	✓		
LK000001	ALUM BODY KPLN-030-G38	Lege behuizingen	350 bar	30 lpm			VP000008	G 3/8"	LK001	✓	
LK000002	ALUM BODY KPLN-030-G12							G 1/2"	LK002	✓	
LK000108	STALEN BODY KPLN-030-G38							G 3/8"	LK108	✓	
LK000109	STALEN BODY KPLN-030-G12							G 1/2"	LK109	✓	
LK000111	STALEN BODY KPLN-080-G34							80 lpm	G 3/4"	LK111	✓
LK000114	BODY KPLN-120-PSNA-HN-G34	Lege behuizingen	350 bar	120 lpm			LK000114 LK000307 LK000356	SAE-10-2N	G 3/4"	LK114	✓
LK000307	BODY A-CPLN-160-100 staal							VP000250	G 1"	LK307	✓
LK000356	BODY A-CPLN-300-114 staal							SAE-16-2N	G 1-1/4"	LK356	✓